



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

Massachusetts—Boston—Immigration Station.

Acting Asst. Surg. Nute reported a case of cerebrospinal meningitis at the immigration station, Boston, Mass., in the person of C. M., male, age 23 years, nativity Italy, arrived at Boston July 28, 1916, on the steamship *Cretic*. The disease developed July 30 while the man was under detention for observation in the immigration station.

City Reports for Week Ended July 22, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	2	1	Los Angeles, Cal.....	1
Bridgeport, Conn.....	1	1	Lowell, Mass.....	1
Cambridge, Mass.....	1	New Bedford, Mass.....	1
Chicago, Ill.....	3	1	New York, N. Y.....	3	4
Chicopee, Mass.....	1	Philadelphia, Pa.....	1
Cleveland, Ohio.....	2	Providence, R. I.....	1
Dubuque, Iowa.....	1	Steubenville, Ohio.....	1
Lexington, Ky.....	1			

DENGUE.

Texas—Brownsville.

Surg. Lloyd reported, July 28, 1916, the prevalence of dengue in Brownsville, Tex.

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2162.

ERYSIPELAS.

City Reports for Week Ended July 22, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Harbor, Mich.....	1	Philadelphia, Pa.....	3	1
Buffalo, N. Y.....	3	Pittsburgh, Pa.....	3
Butte, Mont.....	1	St. Joseph, Mo.....	1
Chicago, Ill.....	14	4	St. Louis, Mo.....	3
Cleveland, Ohio.....	1	2	San Francisco, Cal.....	3	1
Denver, Colo.....	2	Williamsport, Pa.....	1
Detroit, Mich.....	2	2	Woburn, Mass.....	1
Milwaukee, Wis.....	4	1			

MALARIA.**City Reports for Week Ended July 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal.	1	Mobile, Ala.	1
Birmingham, Ala.	2	New Orleans, La.	7	1
Charleston, S. C.	2	Newton, Mass.
Jersey City, N. J.	1	Richmond, Va.	1
Kansas City, Mo.	1	Stockton, Cal.	1

MEASLES.**Alaska—Possession Point.**

Passed Asst. Surg. Krulish reported by telegraph, August 5, 1916, that 23 cases of measles had been reported among natives at Possession Point, Alaska.

Washington—Seattle.

Surg. Boggess reported that during the week ended July 29, 1916, 17 new cases of measles were notified in Seattle, Wash., making a total of 5,346 cases, with 9 deaths, since the beginning of the epidemic, February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, p. 2162.

PELLAGRA.**City Reports for Week Ended July 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex.	1	Mobile, Ala.	1
Birmingham, Ala.	1	Nashville, Tenn.	40
Charleston, S. C.	1	New Orleans, La.	2
Chattanooga, Tenn.	2	Oklahoma, Okla.	1
Cleveland, Ohio.	1	Washington, D. C.	2	1
Columbia, S. C.	3			

PLAGUE.**Louisiana—McDonoughville—Plague-Infected Rat Found.**

Passed Asst. Surg. Simpson reported that a rat trapped July 15, 1916, in the yard of a grocery located at Perry and Teche Streets, McDonoughville (Gretna), La., was proven positive for plague infection July 30, 1916.

Louisiana—New Orleans—Plague Infected Rat Found.

Passed Asst. Surg. Simpson reported that a rat trapped July 3, 1916, at 2317 St. Claude Avenue, New Orleans, La., was proven positive for plague infection July 31, 1916.

PNEUMONIA.

City Reports for Week Ended July 22, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Binghamton, N. Y.	2	1	McKeesport, Pa.	1
Chicago, Ill.	68	39	Morristown, N. J.	1
Cleveland, Ohio.	11	7	Pasadena, Cal.	1
Detroit, Mich.	1	4	Philadelphia, Pa.	17	13
Harrison, N. J.	1	Pittsburgh, Pa.	7	8
Kalamazoo, Mich.	1	San Francisco, Cal.	8	7
Kansas City, Mo.	1	Stockton, Cal.	3
Los Angeles, Cal.	2			

POLIOMYELITIS (INFANTILE PARALYSIS).

Alabama.

Birmingham—*Jefferson County*.—Surg. Fox reported August 1: Up to July 31 there were reported in the county of Jefferson 14 cases of infantile paralysis, and in the city of Birmingham up to the same date 10 cases.

California.

San Francisco.—Senior Surg. Pierce reported August 8: One new case of poliomyelitis occurred during the week ended August 7. Total number of cases to date 6.

Colorado.

Denver.—The health officer of Colorado reported August 3: One new case of poliomyelitis in Denver.

Illinois.

The health officer of Illinois reported August 5: Cases of acute poliomyelitis reported from July 1 to August 5, inclusive, and confirmed by inspectors of the State board of health, are as follows: Standard 2, quarantine terminated; Streator 3, 1 terminated; Gibson City 1, terminated; Kankakee 2, 1 terminated; Chicago 51, 6 terminated and 3 dead; Blue Island 2, terminated; near Oregon 2, 1 terminated; East St. Louis 5, 2 terminated; Belleville 5, 4 terminated; Freeport 2; Quincy 1; Virden 2; near Cherry 2, 1 dead; Eureka 2; near Dalton City 2; near Maroa 1; Dixon 2, 1 terminated; Simpson 1; near Beecher City 1; Olive Branch 1, dead; Sidney 1; Lovington 1; near Tamms 1, dead; Carrier Mills 1; near Kansas 1; Benld 1; Franklin Heights 2, 1 dead; Elizabethtown 1, terminated; near Galena 1; Collinsville 2; near Ottawa 1; near Staunton 1; near Hinckley 1, dead; near Ridge Farm 1, terminated; near Hammond 1; DuQuoin 1, terminated; near Long Creek 1; Oakland 1; Bement 1; Winnebago 1; Jerseyville 1, dead; near Harmon 1; Ottawa 3, 1 dead; Lebanon 1; near Lemont 1; Sheldon 1; Des Plaines 1; near Albany 1; near Atwood 1; Evanston 2; near Caseyville 2; near Triumph 1;

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Illinois**—Continued.

near Beckemeyer 1; near Carlyle 1, dead; Canton 1; near Maroa 1; Fenton 1; Rock Island 1; Argenta 2; Moline 1; St. Joseph 1; Decatur 1; Monticello 1; Pontiac 1; near Ashmore 2; near Makanda 1; Rockford 1; Stewardson 1; and Carlyle 1, dead.

Two cases at Evanston and one each at the following places are under investigation: Near Arcola, Brimfield, Indianola (dead), Mark, near Hammond, Montrose, and Mount Olive.

Maryland.

Baltimore.—Surg. Vogel reported August 3: Case poliomyelitis, B. L., 16 months, 327 West Twenty-eighth Street, isolated in hospital. No connection with other cases. August 5: Patient died at 4 a. m. on the 4th instant. August 7: Deaths yesterday from poliomyelitis, J. J., colored, 23 months, 110 West Lexington Street; J. L., 10 months, reported July 5, died this morning.

Michigan.

Detroit.—Senior Surg. Austin reported August 1: Additional cases poliomyelitis, E. B., 5 years, 169 Baron Street, reported July 30; D. L., 15 months, 571 Green Avenue, reported July 31; R. S., 9 months, 335 Fort Street West, reported July 31. August 4: The tenth case of infantile paralysis reported by the board of health of Detroit August 3 in a boy, 6 years, residing at 95 Dennis Street.

Montana.

The State health officer of Montana reported August 8: Four cases in Billings and three rural cases in one locality 40 miles southwest of Billings, in Carbon County, near Crow Indian Reservation.

New Jersey.

The State department of health of New Jersey reported August 3: Cases of poliomyelitis have been reported from July 1 to August 2, inclusive, as follows:

Place.	Cases.	Place.	Cases.
Atlantic County:		Bergen County—Continued.	
Atlantic City.....	1	Rivervale Township.....	1
Bergen County:		Rutherford Borough.....	1
Carlstadt Borough.....	1	Saddle River Township.....	1
Cresskill Borough.....	1	East Rutherford Borough.....	1
East Paterson Borough.....	1	Burlington County:	
Fairview Borough.....	1	Burlington.....	1
Glen Rock Borough.....	1	Camden County:	
Hackensack Town.....	1	Camden.....	3
Hohokus Township.....	1	Collingswood Borough.....	1
Garfield Borough.....	2	Gloucester City.....	2
Lodi Borough.....	1	Gloucester Township.....	1
Northvale Borough.....	3	Pensauken Township.....	1
Oakland Borough.....	2	Cumberland County:	
Ridgewood Village.....	1	Fairfield Township.....	1

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

New Jersey—Continued.

Place.	Cases.	Place.	Cases.
Essex County:		Middlesex County—Continued.	
Belleville Township.....	2	Spottswood Borough.....	1
Bloomfield Town.....	2	Woodbridge Township.....	6
East Orange.....	8	Piscataway Township.....	1
Glen Ridge Borough.....	1	Monmouth County:	
Irvington Town.....	12	Allenhurst Borough.....	2
Millburn Township.....	4	Belmar Borough.....	1
Montclair Town.....	4	Bradley Beach Borough.....	1
Newark.....	309	Avon Borough.....	1
Nutley Borough.....	2	Highlands Borough.....	3
Orange.....	21	Long Branch.....	1
South Orange.....	12	Red Bank Borough.....	2
Verona Borough.....	1	Raritan Township.....	2
West Orange Town.....	4	Spring Lake Borough.....	4
Gloucester County:		Wall Township.....	1
National Park Borough.....	1	Morris County:	
Hudson County:		Boonton Borough.....	1
Bayonne.....	2	Hanover Township.....	5
East Newark Borough.....	1	Madison Borough.....	2
Guttenberg Town.....	4	Passaic Township.....	2
Hoboken.....	6	Randolph Township.....	1
Harrison Town.....	7	Rockaway Township.....	1
Jersey City.....	41	Ocean County:	
Kearny Town.....	5	Lacey Township.....	1
North Bergen Township.....	20	Passaic County:	
Town of Union.....	24	Acquackanonk Township.....	6
Weehawken Township.....	7	Haledon Borough.....	1
West Hoboken Town.....	16	Paterson.....	5
West New York Town.....	18	Passaic.....	1
Hunterdon County:		Somerset County:	
Delaware Township.....	2	Somerville Borough.....	1
East Amwell Township.....	1	Union County:	
Flemington Borough.....	1	Elizabeth.....	2
Readington Township.....	3	Fanwood Borough.....	2
Mercer County:		Hillside Township.....	1
Trenton.....	3	Linden Borough.....	4
Middlesex County:		Linden Township.....	4
Metuchen Borough.....	2	New Providence Township.....	1
Monroe Township.....	1	Plainfield.....	6
New Brunswick.....	1	Rahway.....	3
Perth Amboy.....	10	Union Township.....	4
Raritan Township.....	2	Westfield Town.....	2
Roosevelt Borough.....	2	Total.....	682
South Amboy.....	1		
South Brunswick Township.....	6		

The State Department of Health of New Jersey has also furnished the following figures, which show the cases reported to health authorities in New Jersey August 3, 4, and 5, 1916:

Place.	Cases.	Place.	Cases.
Atlantic County:		Essex County—Continued.	
Atlantic City.....	1	Newark.....	62
Bergen County:		Nutley.....	1
Palisade Township.....	1	Orange.....	9
Ridgefield Park.....	1	South Orange Township.....	2
Rutherford.....	1	West Orange.....	3
Burlington County:		Hudson County:	
Chester Township.....	2	Bayonne.....	4
Delran Township.....	1	Guttenberg.....	2
Camden County:		Hoboken.....	1
Camden.....	5	Jersey City.....	9
Cumberland County:		Kearny.....	2
Deerfield Township.....	2	North Bergen.....	6
Stow Creek Township.....	1	West Hoboken.....	3
Essex County:		West New York.....	5
Belleville.....	4	Hunterdon County:	
East Orange.....	2	Clinton Township.....	1
Essex Falls.....	1	Mercer County:	
Irvington.....	13	Ewing.....	1
Millburn.....	3	Princeton.....	2

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**New Jersey—Continued.**

Place.	Cases.	Place.	Cases.
Middlesex County:		Passaic County:	
Monroe Township.....	1	Paterson.....	3
New Brunswick.....	2	Somerset County:	
Perth Amboy.....	4	Bound Brook.....	2
Woodbridge Township.....	1	North Plainfield Borough.....	1
Monmouth County:		North Plainfield Township.....	3
Asbury Park.....	1	Sussex County:	
Avon.....	1	Newton.....	1
Highlands.....	1	Union County:	
Howell Township.....	1	Elizabeth.....	2
Ocean Township.....	1	Garwood.....	1
Spring Lake.....	8	Hillside Township.....	2
Morris County:		Plainfield.....	1
Danville Township.....	1	Summit, city.....	1
Randolph Township.....	2	Union, town.....	6
Ocean County:		Total.....	199
Bayhead.....	1		

Perth Amboy.—Acting Asst. Surg. Naulty reported August 7: Week ending to-day, 8 new cases poliomyelitis, 3 deaths. Total, 18 cases, 7 deaths.

New York.

In the Public Health Reports of July 28, 1916, page 2011, was published a list of cases of poliomyelitis in New York State, exclusive of New York City, as reported during the period from June 13 to July 19, 1916. The following table shows by counties the cases reported later, to and including August 2, 1916.

Cases of poliomyelitis reported in New York State, exclusive of New York City.

Place.	Cases.	Place.	Cases.
Albany.....	2	Otsego.....	1
Broome.....	2	Putnam.....	2
Chautauqua.....	2	Rensselaer.....	3
Columbia.....	20	Rockland.....	9
Delaware.....	1	Saratoga.....	4
Dutchess.....	57	Steuben.....	2
Genesee.....	1	Suffolk.....	34
Greene.....	2	Sullivan.....	18
Hamilton.....	1	Tioga.....	1
Jefferson.....	2	Ulster.....	23
Monroe.....	3	Warren.....	1
Nassau.....	80	Westchester.....	40
Oneida.....	5	Wyoming.....	1
Orange.....	18	Total.....	336
Oswego.....	1		

New York City.—Surg. Lavinder reported August 3: New cases poliomyelitis 217, deaths 43, Manhattan shows sharp rise, Queens also. August 4: New cases 175, deaths 45. August 5: New cases 168, deaths 41. August 7: New cases reported yesterday 192, deaths 33; to-day cases 145, deaths 44. August 8: New cases 183, deaths 53. August 9: New cases 183, deaths 57; approximate totals 5,519 cases, 1,253 deaths.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Ohio.**

Cincinnati.—Assistant Surg. Bolten reported July 31: A case of anterior poliomyelitis in a child aged 3 years was reported to the health department July 28, making 3 cases reported since July 12. One death has occurred.

Pennsylvania.

Philadelphia.—Senior Surg. Irwin reported August 4: Thirteen new cases of poliomyelitis to-day in Philadelphia.

Pittsburgh.—Surg. Schereschewsky reported August 7: Additional case poliomyelitis reported. Total, 6 cases, 1 death.

South Carolina.

Collaborating Epidemiologist Hayne reported August 6: Twenty-three cases poliomyelitis in this State, reported since July 1.

Spartanburg.—Passed Asst. Surg. Grimm reported August 6: One case poliomyelitis reported city of Spartanburg August 5. First case in 1916.

Spartanburg County.—Asst. Surg. Wheeler reported August 2: A fatal case of poliomyelitis in a colored girl 7 years old has been reported in a rural section of Spartanburg County, about 13 miles west of Spartanburg. First symptoms developed July 27 and death occurred July 29.

City Reports for Week Ended July 22, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....	2	Mobile, Ala.....	1
Binghamton, N. Y.....	1	Montclair, N. J.....	1
Birmingham, Ala.....	1	New Bedford, Mass.....	1
Boston, Mass.....	3	New London, Conn.....	4
Bridgeport, Conn.....	4	New Orleans, La.....	2
Buffalo, N. Y.....	1	New York, N. Y.....	741	189
Chicago, Ill.....	10	North Adams, Mass.....	4	3
Cincinnati, Ohio.....	1	1	Omaha, Nebr.....	1
Cleveland, Ohio.....	2	1	Orange, N. J.....	2	2
Columbus, Ohio.....	1	Pawtucket, R. I.....	2
Davenport, Iowa.....	1	Perth Amboy, N. J.....	2
Detroit, Mich.....	1	Philadelphia, Pa.....	9	1
East Orange, N. J.....	1	Pittsburgh, Pa.....	1	1
Elizabeth, N. J.....	1	2	Pittsfield, Mass.....	1	1
Erie, Pa.....	1	Plainfield, N. J.....	2
Evansville, Ind.....	1	Providence, R. I.....	1
Fall River, Mass.....	1	San Francisco, Cal.....	2
Grand Rapids, Mich.....	2	Saratoga Springs, N. Y.....	1
Harrison, N. J.....	1	Toledo, Ohio.....	8
Hartford, Conn.....	1	1	Trenton, N. J.....	1
Indianapolis, Ind.....	1	Washington, D. C.....	3
Jersey City, N. J.....	8	1	West Hoboken, N. J.....	3	1
Lowell, Mass.....	1	Wilkes-Barre, Pa.....	1	1
Lynchburg, Va.....	1	Worcester, Mass.....	2
Malden, Mass.....	1			

RABIES IN ANIMALS.**City Reports for Week Ended July 22, 1916.**

During the week ended July 22, 1916, there were reported, by cities, five cases of rabies in animals; one case at Detroit, Mich., one case at Los Angeles, Cal., and three cases at San Diego, Cal.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2162.

SMALLPOX.**Arkansas—Little Rock.**

Collaborating Epidemiologist Garrison reported by telegraph August 4, 1916, that 5 cases of smallpox had been notified in Little Rock, Ark.

City Reports for Week Ended July 22, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex.....	3	La Crosse, Wis.....	1
Birmingham, Ala.....	5	New Orleans, La.....	3	3
Cincinnati, Ohio.....	1	Portland, Oreg.....	1
Cleveland, Ohio.....	10	Quincy, Ill.....	1
Covington, Ky.....	1	Sioux City, Iowa.....	2
Detroit, Mich.....	9	Springfield, Ill.....	2
Grand Rapids, Mich.....	1	Tacoma, Wash.....	1
Kansas City, Mo.....	5	Wichita, Kans.....	2
Kokomo, Ind.....	11			

TETANUS.**City Reports for Week Ended July 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Columbus, Ohio.....	1	New Orleans, La.....	1
El Paso, Tex.....	1	Philadelphia, Pa.....	1	1
Erie, Pa.....	1	San Francisco, Cal.....	1
Lincoln, Nebr.....	1	Wheeling, W. Va.....	1	1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2162.

TYPHOID FEVER.**City Reports for Week Ended July 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Albany, N. Y.	1		Los Angeles, Cal.	6	
Atlantic City, N. J.	4		Lowell, Mass.	1	
Baltimore, Md.	20	3	Lynchburg, Va.	4	1
Beaver Falls, Pa.	1		McKeesport, Pa.	2	
Birmingham, Ala.	43	7	Madison, Wis.	1	
Boston, Mass.	5	1	Malden, Mass.	2	
Braddock, Pa.	1	1	Medford, Mass.	1	
Buffalo, N. Y.	5	1	Milwaukee, Wis.	3	
Camden, N. J.	1		Mobile, Ala.	4	1
Charleston, S. C.	7	1	Morristown, N. J.	1	
Chicago, Ill.	17	2	Nashville, Tenn.	15	1
Cincinnati, Ohio.	1		New Bedford, Mass.	5	1
Cleveland, Ohio.	1	1	New Orleans, La.	3	1
Coffeyville, Kan.	1		Newton, Mass.	1	
Colorado Springs, Colo.	3		New York, N. Y.	35	4
Columbia, S. C.	4	1	Norfolk, Va.	51	
Columbus, Ohio.	18	2	Northampton, Mass.	1	
Covington, Ky.	2	1	Oklahoma, Okla.	9	2
Davenport, Iowa.	1		Philadelphia, Pa.	16	3
Denver, Colo.	1		Pittsburgh, Pa.	6	
Detroit, Mich.	12	2	Pittsfield, Mass.	1	
Dubuque, Iowa.	1	1	Portland, Me.	4	
Duluth, Minn.	3		Portland, Oreg.	2	
Elgin, Ill.	2		Portsmouth, Va.	5	
Elizabeth, N. J.	2		Providence, R. I.	3	
El Paso, Tex.	1	1	Reading, Pa.	2	
Erie, Pa.	1		Richmond, Va.	10	
Evansville, Ind.	2		Roanoke, Va.	1	
Fall River, Mass.	8		Rochester, N. Y.	1	
Flint, Mich.	2		St. Louis, Mo.	8	
Galveston, Tex.	9		Salt Lake City, Utah.	3	1
Grand Rapids, Mich.	5		San Francisco, Cal.	5	1
Hagerstown, Md.	3		San Jose, Cal.	1	
Hamilton, Ohio.	1		South Bend, Ind.	1	
Harrisburg, Pa.	1	1	Springfield, Mass.	1	
Indianapolis, Ind.	6		Stockton, Cal.	3	
Jersey City, N. J.	1		Syracuse, N. Y.	1	
Johnstown, Pa.	1		Toledo, Ohio.	6	2
Kalamazoo, Mich.	1		Troy, N. Y.	1	2
Kansas City, Mo.	4		Washington, D. C.	6	2
Lawrence, Mass.	1		Watertown, N. Y.	2	
Lexington, Ky.	4		Wheeling, W. Va.	1	1
Little Rock, Ark.	1		Wichita, Kans.	2	
Long Beach, Cal.	3		Wilmington, Del.	1	1
Lorain, Ohio.	1		Wilmington, N. C.	4	

TYPHUS FEVER.**Arizona—Bisbee.**

The health officer of Bisbee, Ariz., reported by telegraph August 8, 1916, that 2 cases of typhus fever had occurred in Bisbee.

Texas—Galveston.

Surg. Bahrenburg reported by telegraph August 5, 1916, that 1 new case of typhus fever was reported in Galveston, Tex., during the week ended August 4.

City Reports for Week Ended July 22, 1916.

During the week ended July 22, 1916, two cases of typhus fever were reported by cities—one case at El Paso, Tex., and one case at New York, N. Y.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

City Reports for Week Ended July 22, 1916.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	584,605	184	4	—	30	—	8	—	58	14
Boston, Mass.	745,139	189	47	1	136	1	15	—	58	16
Chicago, Ill.	2,447,045	604	87	11	92	1	57	1	220	57
Cleveland, Ohio.	656,975	213	18	1	25	3	3	—	56	20
Detroit, Mich.	554,717	—	46	4	5	—	25	1	26	17
New York, N. Y.	5,468,190	1,439	203	22	407	17	41	2	329	137
Philadelphia, Pa.	1,683,664	448	31	6	72	3	11	—	160	42
Pittsburgh, Pa.	571,984	168	5	—	67	1	7	—	18	13
St. Louis, Mo.	745,988	245	24	—	38	1	11	—	33	14
From 300,000 to 500,000 inhab- itants:										
Buffalo, N. Y.	461,335	109	10	—	14	—	7	1	30	11
Cincinnati, Ohio.	406,706	118	11	1	2	1	4	—	20	20
Jersey City, N. J.	300,133	66	7	1	15	—	4	—	17	4
Los Angeles, Cal.	465,367	81	4	—	26	—	2	1	31	8
Milwaukee, Wis.	428,062	—	6	—	15	—	21	—	20	5
New Orleans, La.	366,484	106	3	—	25	—	—	—	35	22
San Francisco, Cal.	416,912	125	11	4	3	—	8	1	—	11
Washington, D. C.	358,679	121	3	—	68	—	3	—	19	9
From 200,000 to 300,000 inhab- itants:										
Columbus, Ohio.	209,722	61	—	—	16	—	1	—	10	5
Denver, Colo.	253,161	—	—	—	25	—	—	—	—	—
Indianapolis, Ind.	265,578	—	6	—	45	—	3	—	8	—
Kansas City, Mo.	289,879	67	4	2	6	—	9	1	6	3
Portland, Oreg.	272,833	27	3	—	5	—	5	—	3	11
Providence, R. I.	250,025	53	5	1	3	—	7	—	—	3
Rochester, N. Y.	250,747	80	3	—	39	2	—	—	11	4
From 100,000 to 200,000 inhab- itants:										
Albany, N. Y.	103,581	—	—	—	8	—	1	—	7	—
Birmingham, Ala.	174,168	57	1	—	—	—	1	—	5	2
Bridgeport, Conn.	118,434	41	2	—	6	—	—	—	6	—
Cambridge, Mass.	111,669	—	7	—	8	—	—	—	2	5
Camden, N. J.	104,349	—	2	—	—	—	1	—	3	—
Fall River, Mass.	126,904	30	2	—	4	—	1	—	14	1
Grand Rapids, Mich.	125,759	28	1	—	7	—	—	—	4	—
Hartford, Conn.	108,969	41	5	—	—	—	1	—	—	3
Lowell, Mass.	112,124	38	2	1	50	—	—	—	2	3
Lynn, Mass.	100,316	24	3	—	—	—	1	—	3	5
Nashville, Tenn.	115,078	44	1	—	7	—	1	—	4	1
New Bedford, Mass.	114,694	27	8	—	3	—	2	—	10	1
New Haven, Conn.	147,095	—	—	—	11	—	1	1	10	2
Omaha, Nebr.	135,455	42	—	—	1	—	1	1	1	1
Reading, Pa.	105,094	30	1	—	3	—	1	—	3	—
Richmond, Va.	154,674	59	2	—	15	—	3	—	—	5
Salt Lake City, Utah.	113,567	19	12	1	66	—	7	—	—	2
Springfield, Mass.	103,216	22	1	—	9	—	8	—	5	2
Syracuse, N. Y.	152,534	33	8	—	20	—	1	—	6	1
Tacoma, Wash.	108,094	17	—	—	7	—	—	—	—	—
Toledo, Ohio.	187,840	77	3	1	2	1	13	1	—	12
Trenton, N. J.	109,212	38	2	1	—	—	—	—	11	2
Worcester, Mass.	160,523	54	4	1	13	1	—	—	10	4
From 50,000 to 100,000 inhab- itants:										
Atlantic City, N. J.	55,806	—	1	—	2	—	1	—	3	—
Bayonne, N. J.	67,582	—	4	—	3	—	—	—	2	—
Berkeley, Cal.	54,879	13	—	—	1	—	3	—	1	2
Binghamton, N. Y.	53,082	19	2	—	29	—	—	—	—	2
Brockton, Mass.	65,746	13	10	—	3	—	—	—	3	—
Canton, Ohio.	59,139	16	1	—	1	—	—	—	—	1
Charleston, S. C.	60,427	44	—	—	—	—	—	—	—	8
Chattanooga, Tenn.	58,576	17	—	—	—	—	1	—	1	2
Covington, Ky.	56,520	23	1	—	2	—	—	—	2	2
Duluth, Minn.	91,913	—	1	—	—	—	2	—	5	—
Elizabeth, N. J.	84,550	21	1	—	2	—	—	—	2	4
El Paso, Tex.	51,936	34	1	—	—	—	1	1	—	5
Erie, Pa.	73,798	—	—	—	4	—	—	—	6	20
Evansville, Ind.	72,125	29	1	1	—	—	1	—	1	4
Flint, Mich.	52,159	16	1	1	1	—	—	—	2	2
Harrisburg, Pa.	70,754	28	3	—	8	—	—	—	6	4

¹ Population Apr. 15, 1910; no estimate made.

DIPHThERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended July 22, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabit- ants—Continued:										
Hoboken, N. J.	76,104	22	2		10		1		3	2
Johnstown, Pa.	66,585		1				2		2	
Lancaster, Pa.	50,269		3		17				2	
Lawrence, Mass.	98,197	20	2		2		1		3	
Little Rock, Ark.	55,158	16			1					
Malden, Mass.	50,067	11			13		1		1	
Manchester, N. H.	76,959	30			1					
Mobile, Ala.	56,536	17			1				1	1
New Britain, Conn.	52,203								1	1
Norfolk, Va.	88,076	32							6	6
Oklahoma, Okla.	88,158	20			14		3		1	1
Passaic, N. J.	69,010	16	1		1				2	
Pawtucket, R. I.	58,156	18	3	1						1
Portland, Me.	63,014		2		1					1
Rockford, Ill.	53,761				1		1			
Sacramento, Cal.	64,806	23	1		1		1		2	2
Saginaw, Mich.	54,815	13		1	1					
St. Joseph, Mo.	83,974	9							4	1
San Diego, Cal.	51,115	16	6		1				2	2
Schenectady, N. Y.	95,265	19			8		3		2	2
Sioux City, Iowa.	55,588			1						
Somerville, Mass.	85,460	10	1		7				6	1
South Bend, Ind.	67,030	10	2		3					2
Springfield, Ill.	59,468	17								3
Springfield, Ohio.	50,804	15			3				1	1
Troy, N. Y.	77,738				5		1		2	1
Wichita, Kans.	67,847		3		1				1	1
Wilkes-Barre, Pa.	75,218	20	2		1				4	
Wilmington, Del.	93,161		2		2				6	6
York, Pa.	50,543		1		2				2	
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,031	7	2		1					1
Austin, Tex.	34,016	8	1							2
Bellingham, Wash.	31,609	1	1							
Brookline, Mass.	31,934	5								1
Butler, Pa.	26,587	4			1					
Butte, Mont.	42,918	30					1		2	6
Chelsea, Mass.	132,452	13	2	1	1		1		3	2
Chicopee, Mass.	28,688	6			7				1	
Colorado Springs, Colo.	32,344	9					3		14	2
Columbia, S. C.	34,058	14								
Cumberland, Md.	25,664	3	1				2			
Danville, Ill.	31,554	11								1
Davenport, Iowa.	47,127						4			
Dubuque, Iowa.	39,650		1							
East Orange, N. J.	41,155	5			9				4	1
Elgin, Ill.	27,844	3			2				2	
Everett, Mass.	38,307		2						5	3
Everett, Wash.	33,767	4			1				1	
Fitchburg, Mass.	41,144	11	5		37				4	3
Galveston, Tex.	41,076	12	1						4	3
Hagerstown, Md.	25,233		1		8					
Hamilton, Ohio.	39,656	7							2	
Haverhill, Mass.	47,774		2		2				2	1
Jackson, Mich.	34,730	5			27					
Kalamazoo, Mich.	47,361	20	1		2				7	
Kenosha, Wis.	30,319	5			5					
Knoxville, Tenn.	38,300								4	3
La Crosse, Wis.	31,522	12	2							1
Lexington, Ky.	39,703	16					1		10	3
Lincoln, Nebr.	46,028	11			2				3	1
Long Beach, Cal.	26,012	11								
Lorain, Ohio.	35,662		3							
Lynchburg, Va.	32,385	10			3				1	
McKeesport, Pa.	46,743	18								1
Medford, Mass.	25,737	9							1	1
Montclair, N. J.	25,550	6							2	1
Newburgh, N. Y.	29,313		1		10				1	2
Newport, Ky.	31,722	6								
Newport, R. I.	29,631	3	1		2					

¹ Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended July 22, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabit- ants—Continued.										
Newton, Mass.	43,085	10	1		6				1	
Niagara Falls, N. Y.	36,240	12			7				2	2
Norristown, Pa.	30,833	7								
Ogden, Utah.	30,466				3					
Orange, N. J.	32,524	12	2						3	1
Pasadena, Cal.	43,859	8							4	
Perth Amboy, N. J.	39,725		3		4				2	
Pittsfield, Mass.	37,580	11	2	2						
Portsmouth, Va.	38,610	9			1					1
Quincy, Ill.	36,764	11								2
Quincy, Mass.	37,251	8								
Racine, Wis.	45,507	6	1							
Roanoke, Va.	41,929	15	1		7					1
Rock Island, Ill.	27,961	3	1		1					
San Jose, Cal.	37,994	11	1							1
Steubenville, Ohio.	26,631	8	1							
Stockton, Cal.	34,508	6	1				1			
Superior, Wis.	45,285	6				1	2			
Taunton, Mass.	35,957	12			1					
Watertown, N. Y.	29,384	1	1		10				2	1
West Hoboken, N. J.	41,893	9			3				3	2
Wheeling, W. Va.	43,097	15							2	1
Williamsport, Pa.	33,495		4		2		3		1	
Wilmington, N. C.	28,264	7	1							1
Zanesville, Ohio.	30,406	11								1
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.	14,979	10			1					
Cairo, Ill.	15,593	8			2					1
Clinton, Mass.	¹ 13,075	2								
Concord, N. H.	22,480	6			8					
Galesburg, Ill.	23,923	9			8					
Harrison, N. J.	16,555				6				1	
Kearny, N. J.	22,753	5			3				1	
Kokomo, Ind.	20,312	8	2		3					
Long Branch, N. J.	15,057								3	
Marinette, Wis.	¹ 14,610				7					
Melrose, Mass.	17,166	4	1							
Morristown, N. J.	13,158	3			6					
Nanticoke, Pa.	22,441	5							1	
Newburyport, Mass.	15,195	5			2					
New London, Conn.	20,771	8			4					
North Adams, Mass.	¹ 22,019	9			20		2		1	
Northampton, Mass.	19,846	4			6				1	1
Plainfield, N. J.	23,280	7					1		4	1
Rutland, Vt.	14,624	4			7					
Sandusky, Ohio.	20,160				22				1	
Saratoga Springs, N. Y.	12,842	4								
Steelton, Pa.	15,337	6			2					
Wilkesburg, Pa.	22,361	8								
Woburn, Mass.	15,862	2								

¹ Population Apr. 15, 1910; no estimate made.